


#### Arts & Crafts Style Grille: RR-209 04x06




part number	RR-209 04x06	to cover duct size	04" x 06"	finishes available	11
UPC Code	731236368052	outside height	6"	weight / shipping weight	.35lb / 2lbs
style	Arts & Crafts	outside width	8"	thickness	3/8"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	5-3/8"	free air flow	13.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$66

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 04x08





part number	RR-209 04x08	to cover duct size	04" x 08"	finishes available	13
UPC Code	738759723627	outside height	6"	weight /shipping weight	.5lb / 3lbs
style	Arts & Crafts	outside width	10"	thickness	3/8"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	7-3/8"	free air flow	18.4 q inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$72

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 04x10




part number	RR-209 04x10	to cover duct size	04" x 10"	finishes available	11
UPC Code	731236369462	outside height	6"	weight / shipping weight	.6lb / 3lbs
style	Arts & Crafts	outside width	12"	thickness	3/8"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	9-3/8"	free air flow	23.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$78

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 04x12



part number	RR-209 04x12	to cover duct size	04" x 12"	finishes available	11
UPC Code	731236368397	outside height	6"	weight /shipping weight	.7lb / 4lbs
style	Arts & Crafts	outside width	14"	thickness	3/8"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	11-3/8"	free air flow	28.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$84

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




function HVAC Grille


placement | Wall / Ceiling

## www.ventcoversunlimited.com phone 888-622-4225





#### Arts & Crafts Style Grille: RR-209 04x14



04" x 14" part number | RR-209 04x14 to cover duct size finishes available | 11 *UPC Code* | **738759723719** 6" weight / shipping weight .8lb / 4lbs outside height 3/8" style Arts & Crafts outside width 16" thickness material Urethane Resin inside height 3-3/8" predrilled screw holes / screws 4/4

13-3/8"

1-5/16"

free air flow

price

33.4 sq inch

\$89

Material Technical OverviewTensile StrengthFlexural StrengthCompressive StrengthHeat DeflectionShore D HardnessUrethane Resin7,660 psi10,230 psi11,400212 degrees F80


inside width

frame width


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 04x16




04" x 16" RR-209 04x16 to cover duct size finishes available 11 part number UPC Code | 731236368151 6" .9lb / 4lbs outside height weight / shipping weight 18" 3/8" **Arts & Crafts** outside width thickness style **Urethane Resin** 3-3/8" predrilled screw holes / screws 4/4 inside height material function | HVAC Grille inside width 15-3/8" free air flow 38.4 sq inch placement | Wall / Ceiling frame width 1-5/16" \$100 price

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


Decorators Supplies' grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 04x20




part number	RR-209 04x20	to cover duct size	04" x 20"	finishes available	11
UPC Code	731236367994	outside height	6"	weight /shipping weight	1.1lb / 4lbs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	<b>Urethane Resin</b>	inside height	3-3/8"	predrilled screw holes / screws	6 /6
function	HVAC Grille	inside width	19-3/8"	free air flow	48.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$111

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 04x24



part number RR-209 04x24 to cover duct size 04" x 24" finishes available 11

6" weight / shipping weight 1.3lb / 5lbs *UPC Code* **731236368137** outside height style | Arts & Crafts outside width 26" thickness 3/8" 6/6 material Urethane Resin inside height 3-3/8" predrilled screw holes / screws 23-3/8" function | HVAC Grille inside width free air flow 58.4 sq inch placement | Wall / Ceiling 1-5/16" frame width price \$133

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.





ventcoversunlimited@gmail.com

#### Arts & Crafts Style Grille: RR-209 04x36



38" → 3/8″


part number	RR-209 04x36	to cover duct size	04" x 36"	finishes available	11
UPC Code	738759723771 AB	outside height	6"	weight /shipping weight	1.8lb / 8lbs
style	Arts & Crafts	outside width	38"	thickness	3/8"
material	Urethane Resin	inside height	3-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	35-3/8"	free air flow	88.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$156

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x06




part number	RR-209 06x06	to cover duct size	06" x 06"	finishes available	11
UPC Code	731236368014	outside height	8"	weight /shipping weight	.5lb / 3lbs
style	Arts & Crafts	outside width	8"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	5-3/8"	free air flow	21.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$77

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x08



part number	RR-209 06x08	to cover duct size	06" x 08"	finishes available	11
UPC Code	731236369455	outside height	8"	weight / shipping weight	.7lb / 3lbs
style	Arts & Crafts	outside width	10"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	7-3/8"	free air flow	29.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$82


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




## www.ventcoversunlimited.com

phone 888-622-4225





#### Arts & Crafts Style Grille: RR-209 06x10



part number	RR-209 06x10	to cover duct size	06" x 10"	finishes available	11
UPC Code	731236368083	outside height	8"	weight / shipping weight	.9lb / 4lbs
style	Arts & Crafts	outside width	12"	thickness	3/8"
material	<b>Urethane Resin</b>	inside height	5-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	9-3/8"	free air flow	37.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$89

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.





ventcoversunlimited@gmail.com

#### Arts & Crafts Style Grille: RR-209 06x12




part number	RR-209 06x12	to cover duct size	06" x 12"	finishes available	11
UPC Code	731236368021	outside height	8"	weight /shipping weight	1lb / 4lbs
style	Arts & Crafts	outside width	14"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	11-3/8"	free air flow	45.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$95

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x14




part number	RR-209 06x14	to cover duct size	06" x 14"	finishes available	11
UPC Code	731236368083	outside height	8"	weight / shipping weight	1.2lb / 5lbs
style	Arts & Crafts	outside width	16"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	13-3/8"	free air flow	53.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$100

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







## Arts & Crafts Style Grille: RR-209 06x14B





part number	RR-209 06x14B	to cover duct size	06" x 14"	finishes available	11
UPC Code	731236368076	outside height	8"	weight /shipping weight	1.2lb / 5lbs
style	Arts & Crafts	outside width	16"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	13-3/8"	free air flow	53.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$100

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x16




part number	RR-209 06x16	to cover duct size	06" x 16"	finishes available	11
UPC Code	731236368144	outside height	8"	weight /shipping weight	1.3lb / 6lbs
style	Arts & Crafts	outside width	18"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	15-3/8"	free air flow	61.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$105

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x20





part number	RR-209 06x20	to cover duct size	06" x 20"	finishes available	11
UPC Code	731236368038	outside height	8"	weight /shipping weight	1.5lb / 6lbs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	19-3/8"	free air flow	77.1 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$121

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x24





part number	RR-209 06x24	to cover duct size	06" x 24"	finishes available	11
UPC Code	738759723979	outside height	8"	weight / shipping weight	1.6lb / 6lbs
style	Arts & Crafts	outside width	26"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	23-3/8"	free air flow	93 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$155

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x30




part number	RR-209 06x30	to cover duct size	06" x 30"	finishes available	11
UPC Code	731236368045	outside height	8"	weight /shipping weight	2lb / 10lbs
style	Arts & Crafts	outside width	32"	thickness	3/8"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	29-3/8"	free air flow	116.8 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$188

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 06x36



part number RR-209 06x36 to cover duct size 06" x 36" finishes available 11 UPC Code 738759724037 outside height weight / shipping weight | 2.6lb / 12lbs style Arts & Crafts 3/8" outside width 38" thickness **Urethane Resin** material inside height 5-3/8" predrilled screw holes / screws 6/6 function HVAC Grille inside width 35-3/8" free air flow 140.7 sq inch placement | Wall / Ceiling 1-5/16" frame width \$216

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




## www.ventcoversunlimited.com

phone 888-622-4225





#### Arts & Crafts Style Grille: RR-209 08x08




part number	RR-209 08x08	to cover duct size	08" x 08"	finishes available	11
UPC Code	731236369141	outside height	10"	weight / shipping weight	.8lb / 4lbs
style	Arts & Crafts	outside width	10"	thickness	3/8"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	7-3/8"	free air flow	40.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$93

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 08x10



part number	RR-209 08x10	to cover duct size	08" x 10"	finishes available	11
UPC Code	731236368007	outside height	10"	weight /shipping weight	1lb / 4lbs
style	Arts & Crafts	outside width	12"	thickness	3/8"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	9-3/8"	free air flow	51.2 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$100

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




## www.ventcoversunlimited.com

phone 888-622-4225





#### Arts & Crafts Style Grille: RR-209 08x12




part number	RR-209 08x12	to cover duct size	08" x 12"	finishes available	11
UPC Code	731236368403	outside height	10"	weight /shipping weight	1.2lb / 5lbs
style	Arts & Crafts	outside width	14"	thickness	3/8"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes / screws	4 /4
function	HVAC Grille	inside width	11-3/8"	free air flow	62.1 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$105

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 08x14




part number	RR-209 08x14	to cover duct size	08" x 14"	finishes available	11
UPC Code	738759724150	outside height	10"	weight / shipping weight	1.4lb / 6lbs
style	Arts & Crafts	outside width	16"	thickness	3/8"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	13-3/8"	free air flow	73sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$111

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 08x16




part number RR-209 08x16 to cover duct size 08" x 16" finishes available 11 UPC Code 731236368144 outside height 10" weight / shipping weight 1.6lb / 6lbs style **Arts & Crafts** outside width 18" thickness 3/8" **Urethane Resin** inside height 7-3/8" predrilled screw holes / screws 4/4 material function HVAC Grille inside width 15-3/8" 83.9sq inch free air flow placement Wall / Ceiling frame width 1-5/16" price \$122

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### **Arts & Crafts Style Grille: RR-209 08x20**



22"

part number	RR-209 08x20	to cover duct size	08" x 20"	finishes available	11
UPC Code	731236369820	outside height	10"	weight /shipping weight	1.8lb / 8lbs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	19-3/8"	free air flow	105.7sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$149

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.





ventcoversunlimited@gmail.com

#### Arts & Crafts Style Grille: RR-209 08x24




08" x 24" finishes available | 11 part number | RR-209 08x24 to cover duct size 10" weight / shipping weight | 2lb / 8lbs *UPC Code* | **738759724181** outside height 26" 3/8" style Arts & Crafts outside width thickness material Urethane Resin 7-3/8" predrilled screw holes / screws 6 / 6 inside height function HVAC Grille inside width 23-3/8" free air flow 127.6sq inch placement | Wall / Ceiling frame width 1-5/16" \$188

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 08x30



part number	RR-209 08x30	to cover duct size	08" x 30"	finishes available	11
UPC Code	731236368205	outside height	10"	weight /shipping weight	2.2lb / 12lbs
style	Arts & Crafts	outside width	32"	thickness	3/8"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	29-3/8"	free air flow	160.3 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$220

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




## www.ventcoversunlimited.com

phone 888-622-4225





#### **Arts & Crafts Style Grille: RR-209 10x10**




part number	RR-209 10x10	to cover duct size	10" x 10"	finishes available	11
UPC Code	738759724242	outside height	12"	weight / shipping weight	1.1lb / 4lbs
style	Arts & Crafts	outside width	12"	thickness	3/8"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes / screws	4/4
function	HVAC Grille	inside width	9-3/8"	free air flow	65 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$111

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.



ventcoversunlimited@gmail.com



#### Arts & Crafts Style Grille: RR-209 10x12



part number	RR-209 10x12	to cover duct size	10" x 12"	finishes available	11
UPC Code	738759724273	outside height	12"	weight / shipping weight	1.3lb / 5lbs
style	Arts & Crafts	outside width	14"	thickness	3/8"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	11-3/8"	free air flow	78.9sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$116

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




## www.ventcoversunlimited.com

phone 888-622-4225



ventcoversunlimited@gmail.com

#### Arts & Crafts Style Grille: RR-209 10x14




part number	RR-209 10x14	to cover duct size	10" x 14"	finishes available	11
UPC Code	738759724303	outside height	12"	weight / shipping weight	1.5lb / 6lbs
style	Arts & Crafts	outside width	16"	thickness	3/8"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes / screws	4 / 4
function	HVAC Grille	inside width	13-3/8"	free air flow	92.8sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$127

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.








3/8″

#### **Arts & Crafts Style Grille:** RR-209 10x16



part number RR-209 10x16 10" x 16" to cover duct size finishes available 11 UPC Code **738759724334** 12" weight / shipping weight | 1.8lb / 6lbs outside height style | Arts & Crafts outside width 18" thickness 3/8" material Urethane Resin 9-3/8" predrilled screw holes / screws 4/4 inside height function HVAC Grille inside width 15-3/8" 106.7sq inch free air flow placement | Wall / Ceiling frame width 1-5/16" \$138 price

18"

Material Technical Overview	Tensile Strength	Flexural Strength	gth Compressive Strength Heat Deflection		Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




function HVAC Grille


placement | Wall / Ceiling

#### www.ventcoversunlimited.com phone 888-622-4225





#### **Arts & Crafts Style Grille: RR-209 10x20**



part number RR-209 10x20 10" x 20" finishes available 11 to cover duct size UPC Code | 738759724365 12" weight / shipping weight 2.2lb / 8lbs outside height 22" outside width 3/8" style Arts & Crafts thickness material Urethane Resin inside height 9-3/8" predrilled screw holes / screws 6/6

19-3/8"

1-5/16"

free air flow

price

134.4sq inch

\$165


Material Technical Overview	Tensile Strength	Flexural Strength	ength Compressive Strength Heat Defle		Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

inside width

frame width


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### **Arts & Crafts Style Grille:** RR-209 12x12



part number	RR-209 12x12	to cover duct size	12" x 12"	finishes available	11
UPC Code	731236369868	outside height	14"	weight /shipping weight	1.4lb / 6lbs
style	Arts & Crafts	outside width	14"	thickness	3/8"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	11-3/8"	free air flow	95.7sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$149


Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




## www.ventcoversunlimited.com

phone 888-622-4225





#### Arts & Crafts Style Grille: RR-209 12x16




part number	RR-209 12x16	to cover duct size	12" x 16"	finishes available	11
UPC Code	731236369875	outside height	14"	weight /shipping weight	1.7lb / 7lbs
style	Arts & Crafts	outside width	18"	thickness	3/8"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	15-3/8"	free air flow	S129.4q inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$171

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 12x20



part number	RR-209 12x20	to cover duct size	12" x 20"	finishes available	11
UPC Code	731236369882	outside height	14"	weight / shipping weight	2.4lb / 9bs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	19-3/8"	free air flow	163.1sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$198

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




# www.ventcoversunlimited.com

phone 888-622-4225





#### Arts & Crafts Style Grille: RR-209 12x24



part number	RR-209 12x24	to cover duct size	12" x 24"	finishes available	11
UPC Code	731236369899	outside height	14"	weight /shipping weight	2.8lb / 10lbs
style	Arts & Crafts	outside width	26"	thickness	3/8"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	23-3/8"	free air flow	196.8 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$250

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




# www.ventcoversunlimited.com

phone 888-622-4225





#### Arts & Crafts Style Grille: RR-209 12x30





part number	RR-209 12x30	to cover duct size	12" x 30"	finishes available	11
UPC Code	731236369905	outside height	14"	weight /shipping weight	3.3lb / 14lbs
style	Arts & Crafts	outside width	32"	thickness	3/8"
material	Urethane Resin	inside height	11-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	29-3/8"	free air flow	247.3sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$299

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.








3/8"

#### **Arts & Crafts Style Grille: RR-209 12x36**



part number RR-209 12x36 12" x 36" finishes available | 11 to cover duct size 14" 3.6lb / 16lbs UPC Code | 731236369912 outside height weight / shipping weight style | Arts & Crafts outside width 38" thickness 3/8" material Urethane Resin 11-3/8" free air flow 297.8sq inch inside height function | HVAC Grille 35-3/8" inside width predrilled screw holes / screws 6/6 placement | Wall / Ceiling frame width 1-5/16" \$341

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.




# www.ventcoversunlimited.com

phone 888-622-4225





#### **Arts & Crafts Style Grille:** RR-209 14x14




part number	RR-209 14x14	to cover duct size	14" x 14"	finishes available	11
UPC Code	731236368366	outside height	16"	weight / shipping weight	2.2lb / 9lbs
style	Arts & Crafts	outside width	16"	thickness	3/8"
material	Urethane Resin	inside height	13-3/8"	free air flow	132.4sq inch
function	HVAC Grille	inside width	13-3/8"	predrilled screw holes / screws	6/6
placement	Wall / Ceiling	frame width	1-5/16"	price	\$176

Material Technical Overview Tensile Strength Flexural Strength		Compressive Strength	Heat Deflection	Shore D Hardness	
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 14x20




part number	RR-209 14x20	to cover duct size	14" x 20"	finishes available	11
UPC Code	731236369936	outside height	16"	weight /shipping weight	2.8lb /12lbs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	19-3/8"	free air flow	191.8sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$214

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







### Arts & Crafts Style Grille: RR-209 14x24




part number	RR-209 14x24	to cover duct size	14" x 24"	finishes available	11
UPC Code	731236369929	outside height	16"	weight /shipping weight	3.2lb / 14lbs
style	Arts & Crafts	outside width	26"	thickness	3/8"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	23-3/8"	free air flow	231.4sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$277

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.








3/8"

#### **Arts & Crafts Style Grille: RR-209 14x30**




RR-209 14x30 14" x 30" part number to cover duct size finishes available | 11 UPC Code 731236368106 weight / shipping weight | 3.6lb / 16lbs outside height 16" 32" thickness 3/8" style **Arts & Crafts** outside width material Urethane Resin 13-3/8" predrilled screw holes / screws 6/6 inside height **HVAC Grille** inside width 29-3/8" free air flow 290.7sq inch function placement | Wall / Ceiling 1-5/16" frame width price **\$321** 

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 16x16




part number	RR-209 16x16	to cover duct size	16" x 16"	finishes available	13
UPC Code	731236368120	outside height	18"	weight /shipping weight	2.4lb / 9lbs
style	Arts & Crafts	outside width	18"	thickness	3/8"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	15-3/8"	free air flow	174.9sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$209

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### **Arts & Crafts Style Grille: RR-209 16x20**




part number	RR-209 16x20	to cover duct size	16" x 20"	finishes available	13
UPC Code	731236369943	outside height	18"	weight / shipping weight	3lb / 10lbs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	19-3/8"	free air flow	220.4sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$232

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 16x24



26" → 3/8"


part number	RR-209 16x24	to cover duct size	16" x 24"	finishes available	11
UPC Code	731236369950	outside height	18"	weight / shipping weight	3.5b / 16lbs
style	Arts & Crafts	outside width	26"	thickness	3/8"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	23-3/8"	free air flow	265.9sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$288

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 16x30




part number	RR-209 16x30	to cover duct size	16" x 30"	finishes available	11
UPC Code	731236369967	outside height	18"	weight / shipping weight	4b / 18lbs
style	Arts & Crafts	outside width	32"	thickness	3/8"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	29-3/8"	free air flow	334.2sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$342

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 16x36





part number	RR-209 16x36	to cover duct size	16" x 36"	finishes available	11
UPC Code	731236369653	outside height	18"	weight /shipping weight	4.6 / 26lbs
style	Arts & Crafts	outside width	38"	thickness	4/10"
material	Urethane Resin	inside height	15-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	35-3/8"	free air flow	402.5sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$401

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 18x18




part number	RR-209 18x18	to cover duct size	18" x 18"	finishes available	13
UPC Code	731236369974	outside height	20"	weight / shipping weight	3.2lb / 10lbs
style	Arts & Crafts	outside width	20"	thickness	3/8"
material	<b>Urethane Resin</b>	inside height	17-3/8"	predrilled screw holes / screws	6/6
function	HVAC Grille	inside width	17-3/8"	free air flow	223.4sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$292

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 20x20




part number	RR-209 20x20	to cover duct size	20" x 20"	finishes available	13
UPC Code	731236369684	outside height	22"	weight /shipping weight	3.5lb / 14lbs
style	Arts & Crafts	outside width	22"	thickness	3/8"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes / screws	8/8
function	HVAC Grille	inside width	19-3/8"	free air flow	277.8sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$289

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







# Arts & Crafts Style Grille: RR-209 20x24




part number	RR-209 20x24	to cover duct size	20" x 24"	finishes available	11
UPC Code	738759724754	outside height	22"	weight / shipping weight	4lb / 20bs
style	Arts & Crafts	outside width	26"	thickness	3/8"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes / screws	8/8
function	HVAC Grille	inside width	23-3/8"	free air flow	335.1sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$342

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 20x30




part number	RR-209 20x30	to cover duct size	20" x 30"	finishes available	13
UPC Code	738759724785	outside height	22"	weight /shipping weight	4.5lb / 28lbs
style	Arts & Crafts	outside width	32"	thickness	3/8"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes / screws	8/8
function	HVAC Grille	inside width	29-3/8"	free air flow	421.2sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$865

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 20x36




part number	RR-209 20X36	to cover duct size	20" x 36"	finishes available	13
UPC Code	738759724808	outside height	22"	weight /shipping weight	5lb / 29lbs
style	Arts & Crafts	outside width	38"	thickness	3/8"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes / screws	8/8
function	HVAC Grille	inside width	35-3/8"	free air flow	501.2sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$479

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 24x24



<del></del>	26" —	<b></b>	<b>→</b> 4/1 <b>0</b> —
-------------	-------	---------	-------------------------


part number	RR-209 24x24	to cover duct size	24" x 24"	finishes available	11
UPC Code	738759724815	outside height	26"	weight /shipping weight	4.8b / 25lbs
style	Arts & Crafts	outside width	26"	thickness	.4"
material	Urethane Resin	inside height	23-3/8"	predrilled screw holes / screws	8/8
function	HVAC Grille	inside width	23-3/8"	free air flow	404.3sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$412

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







#### Arts & Crafts Style Grille: RR-209 24x30



part number	RR-209 24x30	to cover duct size	24" x 30"	finishes available	11
UPC Code	738759723665	outside height	26"	weight /shipping weight	5.6b / 30lbs
style	Arts & Crafts	outside width	32"	thickness	.4"
material	Urethane Resin	inside height	23-3/8"	predrilled screw holes / screws	8/8
function	HVAC Grille	inside width	29-3/8"	free air flow	508.1sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$477

32"

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80


These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.







### Arts & Crafts Style Grille: RR-209 24x36



part number	RR-209 24x36	to cover duct size	24" x 36"	finishes available	11
UPC Code	738759723634	outside height	26"	weight / shipping weight	6.5b / 34lbs
style	Arts & Crafts	outside width	38"	thickness	.4"
material	Urethane Resin	inside height	23-3/8"	predrilled screw holes / screws	8/8
function	HVAC Grille	inside width	35-3/8"	free air flow	611.9sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$559

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and <u>not suitable for floor use</u>. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.