




www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 04x08LT



<i>part number</i>	RR-203 04x08LT	<i>to cover duct size</i>	04" x 08"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368519	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.5lb / 3lbs
<i>style</i>	Louis XIV	<i>outside width</i>	10"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>Free air flow</i>	15.7 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$77

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 04x10LT



<i>part number</i>	RR-203 04x10LT	<i>to cover duct size</i>	04" x 10"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369387	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.6lb / 3lbs
<i>style</i>	Louis XIV	<i>outside width</i>	12"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>Free air flow</i>	19.9 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$84

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 04x12LT



<i>part number</i>	RR-203 04x12LT	<i>to cover duct size</i>	04" x 12"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368397	<i>outside height</i>	6"	<i>weight / shipping weight</i>	.8lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	14"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>Free air flow</i>	24.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$89

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 04x30LT



<i>part number</i>	RR-203 04x30LT	<i>to cover duct size</i>	04" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369561	<i>outside height</i>	6"	<i>weight / shipping weight</i>	2lbs/ 7lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	3-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	62.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$166

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 06x06LT



<i>part number</i>	RR-203 06x06LT	<i>to cover duct size</i>	06" x 06"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369608	<i>outside height</i>	8"	<i>weight / shipping weight</i>	.5lb / 2lbs
<i>style</i>	Louis XIV	<i>outside width</i>	8"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	5-3/8"	<i>Free air flow</i>	18.2 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$88

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 06x08LT



part number	RR-203 06x08LT	to cover duct size	06" x 08"	finishes available	13
UPC Code	731236369417	outside height	8"	weight / shipping weight	.7lb / 3lbs
style	Louis XIV	outside width	10"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 / 4
function	HVAC Grille	inside width	7-3/8"	Free air flow	25 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$93

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 06x10LT



part number	RR-203 06x10LT	to cover duct size	06" x 10"	finishes available	13
UPC Code	731236369455	outside height	8"	weight / shipping weight	.8lb / 3lbs
style	Louis XIV	outside width	12"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 / 4
function	HVAC Grille	inside width	9-3/8"	Free air flow	31.7 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$100

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 06x12LT



part number	RR-203 06x12LT	to cover duct size	06" x 12"	finishes available	13
UPC Code	731236369233	outside height	8"	weight / shipping weight	1lb / 4lbs
style	Louis XIV	outside width	14"	thickness	.4"
material	Urethane Resin	inside height	5-3/8"	predrilled screw holes/ Screws	4 / 4
function	HVAC Grille	inside width	11-3/8"	Free air flow	38.5 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$105

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 06x14LT



<i>part number</i>	RR-203 06x14LT	<i>to cover duct size</i>	06" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369103	<i>outside height</i>	8"	<i>weight / shipping weight</i>	1.25lb / 5lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	45.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$111

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 06x30LT



<i>part number</i>	RR-203 06x30LT	<i>to cover duct size</i>	06" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369691	<i>outside height</i>	8"	<i>weight / shipping weight</i>	2.75lb / 10lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	5-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	99.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$209

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 08x08LT



<i>part number</i>	RR-203 08x08LT	<i>to cover duct size</i>	08" x 08"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369141	<i>outside height</i>	10"	<i>weight / shipping weight</i>	.8lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	10"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	7-3/8"	<i>Free air flow</i>	34.3 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$104

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 08x10LT



<i>part number</i>	RR-203 08x10LT	<i>to cover duct size</i>	8" x 10"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	1lb / 4lbs
<i>style</i>	Louis XIV	<i>outside width</i>	12"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>Free air flow</i>	sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$111

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 08x12LT



part number	RR-203 08x12LT	to cover duct size	08" x 12"	finishes available	13
UPC Code	731236368403	outside height	10"	weight / shipping weight	1.25lb / 5lbs
style	Louis XIV	outside width	14"	thickness	.4"
material	Urethane Resin	inside height	7-3/8"	predrilled screw holes/ Screws	4 / 4
function	HVAC Grille	inside width	11-3/8"	Free air flow	52.9 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$116

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 08x14LT



<i>part number</i>	RR-203 08x14LT	<i>to cover duct size</i>	08" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368236	<i>outside height</i>	10"	<i>weight / shipping weight</i>	1.5 lb / 6 lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	62.1 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$122

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 08x20LT



<i>part number</i>	RR-203 08x20LT	<i>to cover duct size</i>	08" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368625	<i>outside height</i>	10"	<i>weight / shipping weight</i>	2.5b / 9lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	90 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$173

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 08x24LT



<i>part number</i>	RR-203 08x24LT	<i>to cover duct size</i>	08" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	10"	<i>weight / shipping weight</i>	2.5b / 9lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	6/6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	108.6 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$176

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 08x30LT



<i>part number</i>	RR-203 08x30LT	<i>to cover duct size</i>	08" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368625	<i>outside height</i>	10"	<i>weight / shipping weight</i>	3.2b /12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	7-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	136.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$253

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 10x10LT



<i>part number</i>	RR-203 10x10LT	<i>to cover duct size</i>	10" x 10"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368663	<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.2lb / 5lbs
<i>style</i>	Louis XIV	<i>outside width</i>	12"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	9-3/8"	<i>Free air flow</i>	55.4 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$122

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

Beaux-Arts Classic Products' grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter, or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge. Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 10x14LT



<i>part number</i>	RR-203 10x14LT	<i>to cover duct size</i>	10" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368700	<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.6lbs / 6lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	79 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$143

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 10x16LT



<i>part number</i>	RR-203 10x16LT	<i>to cover duct size</i>	10" x 16"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	12"	<i>weight / shipping weight</i>	1.8lbs / 7lbs
<i>style</i>	Louis XIV	<i>outside width</i>	18"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	4 / 4
<i>function</i>	HVAC Grille	<i>inside width</i>	15-3/8"	<i>Free air flow</i>	sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$171

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 10x20LT



part number	RR-203 10x20LT	to cover duct size	10" x 20"	finishes available	13
UPC Code		outside height	12"	weight / shipping weight	2.7lbs / 11lbs
style	Louis XIV	outside width	32"	thickness	.425"
material	Urethane Resin	inside height	9-3/8"	predrilled screw holes/ Screws	6 / 6
function	HVAC Grille	inside width	19-3/8"	Free air flow	114.4 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$198

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 10x30LT



<i>part number</i>	RR-203 10x30LT	<i>to cover duct size</i>	10" x 30"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369776	<i>outside height</i>	12"	<i>weight / shipping weight</i>	3.6lbs / 14lbs
<i>style</i>	Louis XIV	<i>outside width</i>	32"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	9-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	29-3/8"	<i>Free air flow</i>	173.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$299

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and not suitable for floor use. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 12x12LT



<i>part number</i>	RR-203 12x12LT	<i>to cover duct size</i>	12" x 12"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368748	<i>outside height</i>	14"	<i>weight / shipping weight</i>	1.6lbs / 6lbs
<i>style</i>	Louis XIV	<i>outside width</i>	14"	<i>thickness</i>	.4"
<i>material</i>	Urethane Resin	<i>inside height</i>	11-3/8"	<i>predrilled screw holes/ Screws</i>	4 /4
<i>function</i>	HVAC Grille	<i>inside width</i>	11-3/8"	<i>Free air flow</i>	81.5 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$160

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 14x14LT



part number	RR-203 14x14LT	to cover duct size	14" x 14"	finishes available	13
UPC Code	731236368786	outside height	16"	weight / shipping weight	2.25lbs /8lbs
style	Louis XIV	outside width	16"	thickness	.4"
material	Urethane Resin	inside height	13-3/8"	predrilled screw holes/ Screws	4 /4
function	HVAC Grille	inside width	13-3/8"	Free air flow	112.7 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$187

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 14x24LT



<i>part number</i>	RR-203 14x24LT	<i>to cover duct size</i>	14" x 24"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368823	<i>outside height</i>	16"	<i>weight / shipping weight</i>	3.5lbs /12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	26"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	13-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	23-3/8"	<i>Free air flow</i>	197 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$299

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 20x12LT



part number	RR-203 20x12LT	to cover duct size	20" x 12"	finishes available	13
UPC Code	731236368861	outside height	22"	weight / shipping weight	2.6lbs /8lbs
style	Louis XIV	outside width	14"	thickness	.42"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes/ Screws	6 /6
function	HVAC Grille	inside width	11-3/8"	Free air flow	138.8 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$198

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 20x14LT



<i>part number</i>	RR-203 20x14LT	<i>to cover duct size</i>	20" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>	731236368991	<i>outside height</i>	22"	<i>weight / shipping weight</i>	2.5lbs / 8lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	4/10"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes</i>	4
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>comes with screws & tabs</i>	4 each
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$194

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electro-magnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 20x20LT



<i>part number</i>	RR-203 20x20LT	<i>to cover duct size</i>	20" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>		<i>outside height</i>	22"	<i>weight / shipping weight</i>	5lbs / 19lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	19-3/8"	<i>predrilled screw holes/ Screws</i>	6 / 6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	236.5sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$329

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 20x30LT



part number	RR-203 20x30LT	to cover duct size	20" x 30"	finishes available	13
UPC Code	731236368991	outside height	22"	weight / shipping weight	7lbs / 24lbs
style	Louis XIV	outside width	32"	thickness	.45"
material	Urethane Resin	inside height	19-3/8"	predrilled screw holes/ Screws	8 / 8
function	HVAC Grille	inside width	29-3/8"	Free air flow	358.6 sq inch
placement	Wall / Ceiling	frame width	1-5/16"	price	\$446

Material Technical Overview	Tensile Strength	Flexural Strength	Compressive Strength	Heat Deflection	Shore D Hardness
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 24x14LT



<i>part number</i>	RR-203 24x14LT	<i>to cover duct size</i>	24" x 14"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369059	<i>outside height</i>	26"	<i>weight / shipping weight</i>	3.5lbs / 12lbs
<i>style</i>	Louis XIV	<i>outside width</i>	16"	<i>thickness</i>	.42"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	13-3/8"	<i>Free air flow</i>	197 sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$299

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.


Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.



www.ventcoversunlimited.com
 phone 888-622-4225
 ventcoversunlimited@gmail.com



Louis XIV Style Grille: RR-203 24x20LT



<i>part number</i>	RR-203 24x20LT	<i>to cover duct size</i>	24" x 20"	<i>finishes available</i>	13
<i>UPC Code</i>	731236369059	<i>outside height</i>	26"	<i>weight / shipping weight</i>	5.7lbs / 19lbs
<i>style</i>	Louis XIV	<i>outside width</i>	22"	<i>thickness</i>	.45"
<i>material</i>	Urethane Resin	<i>inside height</i>	23-3/8"	<i>predrilled screw holes/ Screws</i>	6 /6
<i>function</i>	HVAC Grille	<i>inside width</i>	19-3/8"	<i>Free air flow</i>	285.3sq inch
<i>placement</i>	Wall / Ceiling	<i>frame width</i>	1-5/16"	<i>price</i>	\$380

<i>Material Technical Overview</i>	<i>Tensile Strength</i>	<i>Flexural Strength</i>	<i>Compressive Strength</i>	<i>Heat Deflection</i>	<i>Shore D Hardness</i>
Urethane Resin	7,660 psi	10,230 psi	11,400	212 degrees F	80

These Factory Direct, Historic Grilles are designed for wall and ceiling use only, and **not suitable for floor use**. They are virtually maintenance free, cast from an exterior grade urethane resin, so they can be used indoors and outdoors, even in wet locations such as bathrooms. They are also quiet, since resin doesn't vibrate. In addition resin won't rot, rust, corrode or grow mold.

Each grille is offered in 11 different finishes. Most of our finishes starts with a thin plate of either a metallic powder as in Rubbed Bronze, Dark Bronze, Antique Brass, Aged Copper, Nickel and Pewter , or a pigment as in Chinese Red, Antique Cherry, Old Wood, Old Wood Gold, and Umber Gold. During the casting process the powders or pigments bond to the resin. This process is similar to powder coating, but uses a chemical bonding process rather than by an electromagnetic charge . Then aging glazes or painted highlights are applied to create the specific look of each particular finish. Our unique finishing process not only creates great looking faux-finishes, but forms a tough durable finish for years to come.